

L Number	Hits	Search Text	DB	Time stamp
1	4983753	@ad<20010214 380/262.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:18
2	4983768	@ad<20010214 380/43.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:18
3	241	@ad<20010214 and 380/43.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:18
4	172	@ad<20010214 and 380/262.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:18
5	125	((@ad<20010214 and 380/43.ccls.) (@ad<20010214 and 380/262.ccls.)) and block with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:19
6	96	(((@ad<20010214 and 380/43.ccls.) (@ad<20010214 and 380/262.ccls.)) and block with key) and (select\$4 different choos\$4) with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:19
7	76	((((@ad<20010214 and 380/43.ccls.) (@ad<20010214 and 380/262.ccls.)) and block with key) and (select\$4 different choos\$4) with key) and keys!	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:19
-	36	@ad<20010214 and key with previous with block same encrypt\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:20
-	359	@ad<20010214 and key with block same chain\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:21
-	126	(@ad<20010214 and key with block same chain\$3) and key with (pool bank storage list)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:24
-	96	((@ad<20010214 and key with block same chain\$3) and key with (pool bank storage list)) and bits	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:22
-	54	(((@ad<20010214 and key with block same chain\$3) and key with (pool bank storage list)) and bits) and (choos\$5 select\$2) with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:26
-	31	((((@ad<20010214 and key with block same chain\$3) and key with (pool bank storage list)) and bits) and (choos\$5 select\$2) near2 key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:33
-	8	(((@ad<20010214 and key with block same chain\$3) and key with (pool bank storage list)) and bits) and 380/37.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:36
-	223	@ad<20010214 and 380/37.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:47
-	90	(@ad<20010214 and 380/37.ccls.) and key near2 (bank database table stor\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 10:39
-	49	(@ad<20010214 and 380/37.ccls.) and key near2 (bank database table stora\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:04

-	4979810	@ad<20010214 key with based with block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 11:46
-	537	@ad<20010214 and key with based with block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 11:46
-	35	(@ad<20010214 and key with based with block) and different near2 key with block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:04
-	206	@ad<20010214 and cipher adj block adj chaining	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:04
-	88	(@ad<20010214 and cipher adj block adj chaining) and key near2 (bank database table stora\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:05
-	59	((@ad<20010214 and cipher adj block adj chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:06
-	59	((@ad<20010214 and cipher adj block adj chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based chos\$4)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:17
-	8	((@ad<20010214 and cipher adj block adj chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based chos\$4) with block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 12:08
-	110	@ad<20010214 and selecting with encryption with key and block with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:23
-	13	5548648.URPN.	USPAT	2004/08/09 12:53
-	3	("3798360" "5253294" "5305384").PN.	USPAT	2004/08/09 12:57
-	0	@ad<20010214 and encrypt\$2 near2 block near2 key same select\$2 near2 key near2 (previous prior)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:24
-	0	@ad<20010214 and encrypt\$2 near2 block near2 key and select\$2 near2 key near2 (previous prior)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:25
-	58	@ad<20010214 and encrypt\$2 near2 block near2 key and select\$2 near2 key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:33
-	26	@ad<20010214 and dynamic adj key same encrypt\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:41
-	89	@ad<20010214 and 380/274.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/09 13:51
-	88	@ad<20010214 and cipher adj block adj chaining and key near2 (bank table stora\$4 database)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 08:24
-	1708	@ad<20010214 and block and key near2 (bank table stora\$4 database) and key near2 (depend\$4 base\$4)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 08:25
-	152	@ad<20010214 and block and key near2 (bank table stora\$4 database) and key near2 (depend\$4 base\$4) with block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 08:32

-	348	@ad<20010214 and block with key with (previous preceding)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 08:33
-	206	(@ad<20010214 and block with key with (previous preceding)) and communication	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 08:33
-	85	@ad<20010214 and block with key with (previous preceding) near2 block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 09:41
-	16	5442705.URPN.	USPAT	2004/08/10 08:45
-	4	("5285497" "5351299" "5479512" "5517614").PN.	USPAT	2004/08/10 08:50
-	348	@ad<20010214 and block with key with (previous preceding)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:10
-	65036	"3" and (select\$5 choos\$3 pick\$2) with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 11:05
-	202	(@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 11:06
-	47	((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 11:55
-	46	((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and (713/\$.ccls. 380/\$.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 11:56
-	10	5488661.URPN.	USPAT	2004/08/10 12:18
-	6	("4791669" "4797921" "5003596" "5058164" "5081675" "5103479").PN.	USPAT	2004/08/10 12:18
-	0	6731758.URPN.	USPAT	2004/08/10 12:49
-	32	("3798360" "4004089" "4316055" "4605820" "4607137" "4613901" "4641102" "4953208" "4991208" "5020106" "5195136" "5341425" "5341426" "5509073" "5533127" "5590194" "5621799" "5673319" "5680131" "5825879" "5852472" "5862150" "5940509" "6005940" "6061449" "6118873" "6167136" "6345101" "6452959" "6453304" "6466669" "6477252").PN.	USPAT USPAT	2004/08/10 13:10
-	4979998	@ad<20010214	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:10
-	2	@ad<20010214 and key near2 dependent near2 previous	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:11
-	1	@ad<20010214 and key near2 dependent with previous and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:12
-	39	@ad<20010214 and key near2 dependent with block and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:06
-	107	((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table stor\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:32

-	60	(((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table stor\$3)) not ((@ad<20010214 and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:34
-	27	@ad<20010214 and block adj cipher and select\$2 near2 key and plurality near2 key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:35
-	54	@ad<20010214 and block adj cipher and select\$2 near2 key and (plurality several many) near2 key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:54
-	27	(@ad<20010214 and block adj cipher and select\$2 near2 key and (plurality several many) near2 key) not (@ad<20010214 and block adj cipher and select\$2 near2 key and plurality near2 key)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 13:54
-	244	@ad<20010214 and encryption and (extract\$2 bits) near2 block and (plurality several many) near2 keys	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:11
-	53	(@ad<20010214 and encryption and (extract\$2 bits) near2 block and (plurality several many) near2 keys) and (previous prior preceding) near2 block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:21
-	267	@ad<20010214 and (different change\$4) with key with block and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:22
-	142	@ad<20010214 and (different change\$4) near2 key with block and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:25
-	130	@ad<20010214 and (different change\$4) near2 key with block and encryption and bits	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:31
-	34	(@ad<20010214 and (different change\$4) near2 key with block and encryption and bits) and secure with communication	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:45
-	177	@ad<20010214 and cipher adj block adj chaining and bits	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:46
-	8	@ad<20010214 and cipher adj block adj chaining and bits with extract	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:47
-	18	@ad<20010214 and cipher adj block adj chaining and bits with extract\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:47
-	35	@ad<20010214 and cipher adj block adj chaining and bits and (plurality several many) near2 keys!	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/10 14:50
-	4983185	@ad<20010214	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/17 10:46
-	225	@ad<20010214 and 380/37.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/17 10:47

-	25	(@ad<20010214 and 380/37.ccls.) and previous near2 block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/17 10:54
-	566	@ad<20010214 and different with key with block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/17 10:55
-	46	@ad<20010214 and different with key with block and previous near2 block	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/17 11:00
-	4	@ad<20010214 and self near2 synchronizing near2 key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/20 09:18
-	26	5365589.URPN.	USPAT	2004/09/17 11:04
-	16	@ad<20010214 and key adj auto adj key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/20 09:17
-	1	6466669.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/20 13:37
-	11	(US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.	USPAT	2004/09/22 08:56
-	2	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 08:58
-	1	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 same select\$4 same key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:00
-	1	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 same key with (storage bank list store)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:00
-	0	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 with select\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:01
-	4983734	@ad<20010214	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:00
-	249	@ad<20010214 and modulo\$10 same select\$4 same key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:02
-	102	@ad<20010214 and modulo\$10 same key with (storage bank list store)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:24

-	1417	@ad<20010214 and modulo\$10 with select\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:24
-	50	@ad<20010214 and modulo\$10 same select\$4 same keys!	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:02
-	61	@ad<20010214 and modulo\$10 with select\$3 with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:34
-	42	@ad<20010214 and modulo\$10 with key with (storage bank list store)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:34
-	32	@ad<20010214 and modulus with select\$3 with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 09:35
-	25	@ad<20010214 and modulus with key with (storage bank list store)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/22 12:17